


# Machine Catalogue






OspreyDeepclean Ltd aims to provide reliable information however, we cannot be held responsible for any errors which may occur within this publication.

All prices shown are subject to VAT and carriage where applicable.

© 2014 OspreyDeepclean Ltd

No part of this publication should be reproduced, duplicated or be made public in any form whether electronically or otherwise without the express prior permission of OspreyDeepclean Ltd.

# Contents




## 1. General

OspreyDeepclean Ltd	page 4
Cleaning With Dry Steam Vapour	page 5
Steam Cleaning—FAQ's	page 6
Contract Cleaning	page 7
Health & Residential Care	page 8
Leisure & Hospitality	page 9
Gumbusters	page 10
Catering	page 11
Industrial	page 12

## 2. Product Range

Machine Overview	page 13-14
Jewel	page 16-17
Robby 3000	page 18-19
Robby 6000	page 20-21
Robby SP4 DF	page 22-23
Robby Steam & Vac	page 24-25
Robby HC Pro	page 26-27
Steam & Vac Pro	page 28-29
Provap Evo	page 30-31
Healthcare Accessories	page 32-33
Healthcare Microfibre/Reccomended H/C Pack	page 34-35
Provap Gumcart / GumTrolley Complete	page 36-37
SF Eco	page 38-39
SF 3	page 40-41
SF 3 + Vac	page 42-43
SF 6	page 44-45
SF 6 + Vac	page 46-47
SF 10	page 48-49
SF 10 + Vac	page 50-51
SF 20	page 52-53
iS 18 & 36	page 54-55
iS 80 Oil	page 56-57



## OSPREYDEEPCLEAN

Established in 1995, OSPREYDEEPCLEAN is a leading international manufacturer and supplier of the largest and most comprehensive range of steam cleaning equipment available for a wide variety of applications. OSPREYDEEPCLEAN directly supports international key customers as well operating through our long established distributor network in the UK, Holland, France, Germany, Hungary and the USA.


## PART OF PROVENTEC PLC

OSPREYDEEPCLEAN is part of Proventec plc, a British company listed on the French Stock Exchange.

In addition to steam technologies, Proventec also provides coatings solutions such as fire retardants, anti-abrasion and corrosion materials for industrial use. Proventec has investments in the following companies: Biocote Limited, Firestop Detergent Limited and Oxis Energy Limited. Proventec's strategy is to be the leading provider of cutting edge hygiene solutions based on steam technologies and preventative coatings which are both environmentally friendly and cost effective.



# Cleaning with Dry Steam Vapour (DSV)



## Traditional cleaning methods


The majority of traditional cleaning methods are based on the use of water and detergents. The surface will give a clean and shiny image through the water that remains on the surface. The detergents ensure the surface smells fresh and clean. However, in reality this is very often not the case. The surface may appear clean, but bacteria and dirt will be present and will duplicate rapidly in a moist environment.

## Steam Cleaning

The deep cleaning effect of steam ensures that bacteria and other unwanted micro-organisms are destroyed, even right down into the deepest pores of the polluted surface. Subsequently the minimal residue left behind by the use of steam can be removed by the simultaneous use of microfibre or vacuum. This way the bacteria is removed, thus is unable to multiply, and the surface will be instantly and hygienically clean.


## Environment

By introducing steam into your cleaning methods you can reduce the use of detergents by up to 90% and of water up to 95%! This not only helps you to save money but helps the environment at the same time.



## 5 Key Advantages of Dry Steam Vapour

- **Instantly Clean & Dry Surfaces:** Surfaces are ready for use instantly after cleaning, leaving no residue or moisture, preventing bactericidal growth
- **Improved Hygiene Standards:** Dry Steam Vapour is proven to be effective against "Superbugs" such as MRSA thus improving bactericidal efficacy
- **Environmentally Friendly:** Eliminates or greatly reduces detergent/chemical usage, water consumption is also severely reduced.
- **User Friendly:** Steam is clean, natural and easy to use. Thanks to ergonomically designed accessories it reduces associated cleaning risks
- **Cost Effective:** Dry steam cleaning is less labour intensive than traditional methods, saving labour as well water and detergent costs.



## **What is a steam cleaner?**

A steam cleaner is an appliance that uses only a small amount of water and electricity to sanitise, clean and deodorise virtually any surface without using detergents.

## **How does it work?**

Using only a small amount of clean, cold tap water, a steam cleaner creates a low moisture vapour that carries heat to the surface you wish to treat. The heat combined with light agitation does the work. In combination with a wide variety of accessories it can be used for an unlimited number of applications.

## **What is 'Dry' Steam Vapour?**

Steam is called 'dry' if it only contains around 5% to 6% water and is much less dense than the air we breathe. It is clean with temperatures high enough to kill bacteria and germs, emulsify grease and oil as well as other surface contaminants. The result: a completely hygienic and dry surface.

## **What can I use it on?**

Dry steam cleaning can be used on practically any surface with the exception of those surfaces that are extremely heat sensitive. Surfaces such as silks, some very thin plastics, and some types of velour upholstery must be treated with great care.

## **Where does the water go?**

The water is put into a special tank or boiler that super heats the water and changes it into hot dry steam. The unique benefit of our steam cleaners is that they produce a low moisture, high temperature steam that carries only about 6% water. We like to call this Dry steam because so little water is left behind and so little is used.

## **Do I need detergents in combination with steam?**

In most cases you do not need detergents, but for specialist applications such as gum removal a detergent might be required. The cleaning process can also be accelerated in some cases through the use of a detergent combined with steam. OSPREYDEEPCLEAN therefore offer manufacturer approved detergents, which can be used in combination with our steam technology. With the OSPREYDEEPCLEAN dry steam technology the highest cleaning results are achieved.

## **Further questions?**


If you have any further questions please contact us:

Telephone: +44 (0) 1242 513 123

Email [info@ospreydc.com](mailto:info@ospreydc.com)

# CONTRACT CLEANING

## Improving Standards



### Facilities management

Facilities management companies face the continual challenge of achieving the highest standards on a daily basis using traditional methods, the main problem always being the lack of time to achieve the desired end result.

### Steam cleaning techniques

The introduction of dry-steam cleaning techniques into most types of cleaning contracts will enable the contractor to achieve and maintain the highest standards that are required by clients in this ever challenging market. The use of steam is seen by the client as being innovative, time saving and a solution to many cleaning issues.

### Cost effective


Our range of professional hygiene systems will improve the standards of cleanliness and because our systems are so simple and efficient to use, the savings in labour costs alone can pay for the cost of the equipment.

### Environmentally friendly

Our latest steam technology uses very little water and no harsh chemicals, so providing maximum standards of cleaning and hygiene with minimal environmental impact.

### Demonstrating on location

We can arrange demonstrations to ensure you are completely satisfied with the model better suited to the specific requirements of your business.



**Improved visual appearance**


**Instantly dry surfaces, ready for use**

**Reduced detergent usage and associated risks**

**Up to 40% reduction in labour costs**

# HEALTH & RESIDENTIAL CARE

## Combating Infection



### Today's healthcare environment

Infection control and the fight against MRSA and so called "superbugs" are two of the biggest concerns within today's medical and healthcare environments.

### Independent scientific bactericidal studies


Our steam technology has been the subject of independent, scientific, bactericidal efficacy and healthcare environment viability studies, conducted by University College London Hospitals, NHS Foundation Trust (UCLH), Department of Microbiology.

The UCLH studies investigated the cleaning efficiency of **OSPREYDEEPCLEAN** saturated steam to decontaminate the surfaces of patient contact equipment (bed, tables, chairs, treatment trolleys, etc.) and the built structure of the healthcare environment (walls, floors, doors, etc.).

The tests included the major organisms associated with healthcare acquired infection (HAI), including MRSA, Acinetobacter, Klebsiella and C.Difficile spores.

Following steam cleaning decontamination of the test sites, microbiological tests were not successful in recovering any viable organisms on the test surface or surrounding areas, either by dispersion or aerosolisation.

It was thus concluded that the **OSPREYDEEPCLEAN** Healthcare Cleaning System provides a consistent and reliable tool which can be successfully integrated into the cleaning and infection control practices recommended for the healthcare environment.



**Improved & Outcome Assured Results**


**Greatly Improved bactericidal efficacy**

**Proven & Validated to be effective against Superbugs**

**Reduced detergent usage and associated risks**

**Comprehensive SOP's available for a variety of cleaning tasks**






### Hectic lifestyles

To relieve the stress of today's increasing hectic life styles, more and more people are turning to fitness and leisure breaks. The highest level of hygiene and standards is always a priority for any establishment.



### Hygiene systems

The **OSPREYDEEPCLEAN** steam hygiene systems have proved to be the ultimate cleaning system for this market. Being multifunctional all departments can benefit, from the leisure club to catering departments and housekeeping, ensuring that infection control and visual cleanliness is always at its best. First impressions will increase business.



### Cost effective

The **OSPREYDEEPCLEAN** range of professional hygiene systems will improve the standards of cleanliness and because our systems are so simple and efficient to use, the savings in labour costs alone can pay for the cost of the equipment.



### Environmentally friendly

Our latest steam technology uses very little water and no harsh chemicals, so providing maximum standards of cleaning and hygiene with minimum environmental impact.



**Improved bactericidal efficacy**


**Improved compliance with HACCP standards**

**Reduced detergent usage and associated risks**

**Up to 40% reduction in labour costs**

# GUMBUSTERS

## See It Clean, Keep It Clean



### The effective solution to gum pollution

Discarded chewing gum together with fly posters and graffiti present a huge cleaning problem in all public places. Apart from the negative visual effect caused in these areas, the economic and environmental impact of the current cleaning methods used is significant.


### GumBusters technology

Simply ignoring these problems is no longer acceptable and finally with the GumBusters technology, they can be resolved in an efficient, cost effective and environmentally friendly way. The specially developed GumBusters technique can be used on almost every surface, including asphalt, concrete, paving, natural stone, and most carpets and other internal surfaces. Chewing gum is removed via a high temperature low-pressure steam system, and a unique biodegradable cleaning agent using a very small amount of water per day.



### Any gum, any place, any time...

Alternative methods either require sand blasting or a detergent pre-application and washing off with large volumes of high pressure water. These methods are messy, potentially damaging to street surfaces and furniture, requiring the area being treated to be closed to the public. The GumBusters technology uses much less water, causes no surface damage, leaves no residue and does not inconvenience the public. With such convenience, both chewing gum and graffiti can be quickly and easily removed almost as soon as it appears, helping to discourage repeat attacks.



**No mess or disruption**


**Fast yet controlled method**

**No damage to surfaces**

**Environmentally friendly**

# CATERING & FOOD RETAILING

## Cost Effective Hygiene Solutions



### Highest cleaning standards

Today's hectic catering and food retailing environments face the continual challenge of maintaining the highest cleaning standards at the lowest cost. Public and Government pressures, widely publicised by the Media, bring the whole topic of food safety sharply into focus.




### Hygiene systems

OSPREYDEEPCLEAN hygiene systems exceed all regulatory food hygiene requirements, enhancing the professionals' own HACCP schemes. There is no safer or more cost-effective way to ensure that hygienic cleaning methods are being fully optimised than by the introduction of dry-steam cleaning techniques.




### Cost effective

Our range of professional hygiene systems will improve the standards of cleanliness in food preparation areas. This will result not only in greater hygiene standards but in extended lifetimes of equipment and prolonged refurbishment intervals. And because our systems are so simple and efficient to use, the savings in labour costs alone can pay for the cost of the equipment.



### Environmentally friendly

Our latest steam technology uses very little water and no harsh detergents, so providing maximum standards of cleaning and hygiene with minimum environmental impact.



**Improved bactericidal efficacy**


**Improved compliance with HACCP standards**

**Reduced detergent usage and associated risks**

**Up to 40% reduction in labour costs**

# INDUSTRIAL CLEANING

## Heavy Duty Cleaning Applications



### The power of steam


Dry steam generated under pressure to temperatures up to 180°C dissolves grease, kills germs in an instant and sanitises every surface it touches. It penetrates cracks and crevices and other hard-to-reach areas where manual cleaning with potentially hazardous chemicals fail to achieve the required standards.

### Heavy duty cleaning applications

Our industrial range has been specially selected to meet the heavy duty cleaning applications required by industrial users, providing unequalled thorough deep cleaning wherever and whenever it is required. The 3 phase Industrial Range features 4 stainless steel bodied models providing working steam temperatures from 165–180°C deployed at pressures from 8 to 10 bar.

### Faster cleaning

Achieving higher volumes of steam means faster cleaning: these machines generate from over 150 litres to a massive 500 litres of steam volume per minute, making fast work of even the most stubborn ingrained dirt and swarf-laden grease. A detergent injection facility is also available for speedier removal of ingrained dirt from heavily soiled areas as are optional heavy duty industrial wet and dry vacuum cleaners. All models are designed with automatic boiler filling systems for continuous operation and can be supplied with continuous water filling capacity. The 10 bar Galaxy model can also be coupled with our new conveyor cleaning system for either flat, slatted or mesh belts.




**Improved bactericidal efficacy**









**Instantly dry surfaces, ready for use**

**Reduced detergent usage and associated risks**


**Up to 40% reduction in labour costs**









# Machine Range




								
<b>Model</b>	<b>Robby Jewel</b>	<b>Robby 3000</b>	<b>Robby 6000</b>	<b>Robby SP4 D/F</b>	<b>Robby Steam n Vac</b>	<b>Robby HC Pro</b>	<b>Steam &amp; Vac Pro</b>	<b>Provap Evo Vac</b>
<b>Code</b>	<b>M2594</b>	<b>M0134</b>	<b>M0145</b>	<b>M6004</b>	<b>M0172</b>	<b>M4014</b>	<b>M4011</b>	<b>M6047/ M6048</b>
Power Requirement	230 Volt 50/60Hz	230 Volt 50/60Hz	230 Volt 50/60Hz	230 Volt 50/60Hz	230 Volt 50/60Hz	230 Volt 50/60Hz	230 Volt 50/60 Hz	230 Volt 50/60Hz
Maximum Power	2,000 Watt	1,400 Watt	2,200 Watt	2,250 Watt	2,200 Watt	2,900 Watt	3,000 Watt	3,000 Watt
Steam Pressure	4.0 Bar. (nominal)	4.0 Bar (nominal)	4.5 Bar (nominal)	4.5 Bar (nominal)	4.5 Bar (nominal)	5.5 Bar (Nominal)	6.5 Bar (Nominal)	9.0 Bar (Nominal)
Boiler Capacity	1.5 Litres	2 Litres	4 Litres	1.7 Litres	0.7 Litre	0.7 Litre	2.6 Litres	3.4 Litre
Boiler Material	RVS AISI 304	Aluminium	RVS AISI 304	Aluminium	RVS AISI 304	RVS AISI 304	RVS AISI 304	RVS AISI 304
Heating Up Time	Approx. 5 minutes	Approx. 5 minutes	Approx. 8 minutes	Approx. 3 minutes	Approx. 4 minutes	Approx. 3 minutes	Approx. 5 minutes	Approx. 5 minutes
Autonomy	45 minutes	1 Hour	2.5 Hours	1 Hour	Continuous	Continuous	Continuous	Continuous
Detergent Facility	No	No	No	No	No	No	No	Yes
Detergent Tank Capacity	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Indicator for Lack of Water	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cable Length	4 metres	4 Metres	4 Metres	4 Metres	4 Metres	4 metres	4 metres	4 metres
Dimensions (LxWxH) cm	45 x 30 x 28	38 x 52 x 52	38 x 52 x 98 (inc trolley)	54 x 30 x 32	48 x 30 x 32	54 x 30 x 28	52 x 37 x 43	49 x 43 x105
Net Weight	5.1Kg	8.9Kg	10Kg	10.8kg	10.5Kg	10.8Kg	20Kg	36Kg
Shipping Weight	7.9Kg	12Kg	19Kg	19kg	19kg	19Kg	30Kg	40Kg
Certification/ Marking	CE, IPX4	GS-TUV, CE, IPX4	GS-TUV, CE, IPX4	CE, IPX4	GS-TUV, CE, IPX4	GS-TUV, CE, IPX4	GS-TUV, CE, IPX4	CE, IPX4
Max. Boiler Temperature	144°C	144°C	147°C	147°C	147°C	155°C	154°C	180°C
Adjustable Pressure Output	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Incorporated Vacuum Unit	No	No	No	Yes	Yes	Yes	Yes	Yes
Wet/Dry Vacuum	N/A	N/A	N/A	1000 Watt	1000 Watt	1000 Watt	1000 Watt	1000 Watt
Vacuum Tank Capacity	N/A	N/A	N/A	1.5 litres	1.6 litres	1.5 litres	2.3 Litres	5 Litres

# Machine Range



								
<b>Model</b>	<b>Provap Gumcart</b>	<b>SteamForce Eco</b>	<b>SteamForce 3</b>	<b>SteamForce 6</b>	<b>SteamForce 10</b>	<b>SteamForce 20</b>	<b>iS80 Oil</b>	<b>iS18/iS36</b>
<b>Code</b>	<b>M6049</b>	<b>M6054 / M6053</b>	<b>M6055</b>	<b>M6057</b>	<b>M6066 / M6056</b>	<b>M6052</b>	<b>M2400157</b>	<b>M2400167</b>
Power Requirement	230 Volt 50/60Hz	230/110 Volt 50Hz	230 Volt 50Hz	400 Volt 50Hz 16 Amp	400 Volt 50Hz 16 Amp (4 or 5 Pin)	400 Volt 50Hz 32Amp	230 Volt 1.5 Amp	400 Volt 50Hz 25/51 Amp
Maximum Power	2,600/3000 Watt	3,000 Watt	3,000 Watt	5,500 Watt	10,000 Watt	19,500 Watt	80kW Oil Driven	18kW / 36kW
Steam Pressure	9.0 Bar (Nominal)	6 Bar (Nominal)	8 Bar (Nominal)	10 Bar (Nominal)	10 Bar (Nominal)	10.5 Bar (Nominal)	10 Bar (Nominal)	10 Bar (Nominal)
Boiler Capacity	3.4 Litres	2.3 Litre	3.6 Litre	3.6 Litre	6 Litre	16 Litre	n/a	n/a
Boiler Material	RVS AISI 304	RVS AISI 304	RVS AISI 304	RVS AISI 304	RVS AISI 304	RVS AISI 304	n/a	n/a
Heating Up Time	Approx. 9 minutes	Approx. 5 minutes	Approx. 9 minutes	Approx. 6 minutes	Approx. 7 minutes	Approx. 7 minutes	Approx. 5 minutes	Approx. 5 minutes
Autonomy	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous
Detergent Facility	Yes	Yes	Yes	Yes	Yes	Yes	Optional	Yes
Detergent Tank Capacity	2 x 5 Litre	2 x 5 Litre	2 x 5 Litre	2 x 5 Litre	2 x 5 Litres	5 Litre	20 Litre	5 Litre
Indicator for Lack of Water	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cable Length	4 metres	4 Metres	4 Metres	5 Metres	4 Metres	5 Metres	5 Metres	5 Metres
Dimensions (LxWxH) cm	49 x 43 x 105	37 x 82.5 x 100	50 x 82.5 x 100	50 x 82.5 x 100	57 x 89 x 104	55 x 100 x 93	125 x 59 x 84	120 x 80 x 110
Net Weight	36Kg	25Kg	28Kg	32Kg	56Kg	110Kg	180Kg	110Kg
Shipping Weight	40Kg	32Kg	35Kg	39Kg	108Kg	160Kg	195Kg	125Kg
Certification/ Marking	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4	CE, IPX4
Max. Boiler Temperature	180°C	160°C	170°C	185°C	185°C	185°C	180°C	Wet: 150°C Dry: 160°C
Adjustable Pressure Output	Yes	Yes	Yes	Yes	Yes	Yes	No	No
Integrated Vacuum Unit	No	No	Optional	Optional	Optional	No	No	No
Wet/Dry Vacuum	No	No	1000 Watt	1100 Watt	1100 Watt	n/a	n/a	n/a
Vacuum Tank Capacity	n/a	n/a	10 Litre	10 Litre	10 Litre	n/a	n/a	n/a



## Machine Range



# Robby Jewel



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

## Small body, mighty steam

The **ROBBY** Range

- **Updated Model: Post September 2013**
- Lightweight and easy to carry
- Easy to use & reliable
- Removes lime scale & stains and mould on grout
- Cleans & sanitises kitchen surfaces and appliances
- Removes stubborn stains from carpets & soft furnishings
- Simple direct fill operation
- Great value for money
- Steam Volume Control knob on machine

















Machine Ordering Code:  
UK plug M2594  
EU plug M2595



## Robby Jewel Machine Specification

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	2,000 Watt	Machine Dimensions (W x D x H)	45cmx 30cmx 28cm
Steam Pressure	4 Bar nominal	Net Weight	5.1Kg
Boiler Capacity	1.5 Litres	Shipping Weight	7.9Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	n/a	Max. Boiler Temperature	144°C
Heating Up Time	Approx. 6 minutes	Adjustable Output Regulator	Yes
Autonomy	Direct Fill	Indicator for Lack of Water	Yes

## Robby Jewel Accessories

	Hose <b>A01509</b> (No steam control knob)		Extension Tube <b>A01501</b>  (only one supplied)
	Large Triangle Brush <b>A01502</b>		Scraper <b>A01503</b>
	Floor Brush <b>A01504</b>		Nozzle <b>A01505</b>
	Adaptor 45° <b>A01506</b>		Squeegee <b>A01508</b>
	Small Round Brush <b>A01507</b>		Cloth <b>A00239</b>
	Safety Gloves <b>A00097</b>		Safety Goggles <b>A00096</b>
	Accessory Bag <b>A00903</b>		“Cleaning in Progress” Sign <b>A00972</b>

Standard Tools/Optional Tools

# Robby 3000



**Robust, reliable and tough on grime**

The **ROBBY** Range

- Robust stainless steel body
- Simple direct fill operation
- Portable & easy to use
- Removes lime scale, stains, even mould, on tile surfaces including grout
- Cleans & sanitises kitchen surfaces and appliances
- Wide range of accessories for various cleaning tasks
- Wherever hygiene is important, the Robby 3000 keeps surfaces sparkling clean & sanitised



DEFRA Approved Water  
Technology List  
Reference: 3205





















Machine Ordering Code: M0134

## Robby 3000 Machine Specification

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	1,400 Watt	Machine Dimensions (W x D x H) cm	28cmx52cmx52cm
Steam Pressure	4 Bar nominal	Net Weight	8.9Kg
Boiler Capacity	2.0 Litres	Shipping Weight	12Kg
Boiler Material	Aluminium	Certification/Marking	CE, IPX4
Detergent Capacity	n/a	Max. Boiler Temperature	144°C
Heating Up Time	Approx. 8 minutes	Adjustable Output Regulator	Yes
Autonomy	1hour 30 Minutes	Indicator for Lack of Water	Yes

## Robby 3000 Accessories

	Connector Hose Straight Connector <b>A00119</b> Round Connector <b>A01059</b>		Straight Extension Tube <b>A00101</b>		Bent Extension Tube <b>A00100</b>
	2 Inch Round Brush <b>A00005</b>		Nylon Detail Brush <b>A00020</b>		Wire Detail Brush <b>A00021</b>
	Metal Detail Nozzle <b>A00104</b>		Floor Brush <b>A00106</b>		Large Triangular Brush <b>A00107</b>
	Small Red Funnel <b>A00007</b>		Window Squeegee <b>A00109</b>		Brass Detail Brush <b>A00022</b>
	2 Inch Round Brass Brush <b>A00052</b>		Triangular Brush <b>A00006</b>		Safety Gloves <b>A00097</b>
	Safety Goggles <b>A00096</b>		Accessory Bag <b>A00903</b>		"Cleaning in Progress" Sign <b>A00972</b>

Standard Tools/Optional Tools

# Robby 6000



Truly versatile and at the top of its game

The **ROBBY** range

- Robust stainless steel body
- Uniquely doubles super heated steam with a hot pressure cleaner
- Simple to use & reliable
- The solution to many commercial cleaning challenges
- Most surfaces can be cleaned without the need for harsh chemicals
- Easily cleans those nooks & crannies difficult to reach by hand
- Complete with useful compact trolley (UK only)



DEFRA Approved Water  
Technology List  
Reference: 3208






















Machine Ordering Code:  
UK plug M0145  
EU plug M0147

## Robby 6000 Machine Specification

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	2,200 Watt	Machine Dimensions (W x D x H) cm	38cmx52cmx98cm
Steam Pressure	4.5 Bar nominal	Net Weight	10Kg
Boiler Capacity	4 Litres	Shipping Weight	19Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	n/a	Max. Boiler Temperature	147°C
Heating Up Time	Approx. 8 minutes	Adjustable Output Regulator	Yes
Autonomy	3 Hours (nominal)	Indicator for Lack of Water	Yes

## Robby 6000 Accessories

	6 Pin Connector Hose Straight Connector <b>A00120</b> Round Connector <b>A01057</b>		Straight Extension Tube <b>A00101</b>		Plastic Detail Nozzle <b>A00114</b>
	Nylon Detail Brush <b>A00020</b>		Metal Detail Nozzle <b>A00104</b>		Floor Brush <b>A00106</b>
	Large Triangular Brush <b>A00107</b>		Window Squeegee <b>A00109</b>		Red Funnel <b>A00007</b>
	Safety Gloves <b>A00097</b>		Trolley <b>A00011</b>		Bent Extension Tube <b>A00100</b>
	Accessory Bag <b>A00903</b>		2 Inch Round Brush <b>A00005</b>		Triangular Brush <b>A00006</b>
	2 Inch Round Brass Brush <b>A00052</b>		Wire Detail Brush <b>A00021</b>		Safety Goggles <b>A00096</b>
	"Cleaning in Progress" Sign <b>A00972</b>				

Standard Tools/Optional Tools

# Robby SP4 DF



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

**Steam & vacuum in one, makes cleaning easy**

The **ROBBY** range

- Compact yet extremely versatile
- Simultaneous steam and vacuum for fast and effective cleaning
- Ideal for daily use in washrooms and sanitary areas
- Excellent on safety, non slip flooring
- Significantly reduces the need for harsh chemicals
- Removes spots & stains from bedding, carpets & upholstery
- Kills dust mites & removes allergens
- Easily cleans those nooks & crannies difficult to reach by hand
- Optional trolley for ease of use and storage
























Machine Ordering Code: M6004

## Robby SP4 DF Machine Specification


Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	2,200 Watt	Machine Dimensions (W x D x H)	50cmx30cmx32cm
Steam Pressure	4.5 Bar nominal	Net Weight	10.8Kg
Boiler Capacity	1.7 Litres	Shipping Weight	19Kg
Boiler Material	Aluminium	Certification/Marking	CE, IPX4
Vacuum / Vacuum Tank Capacity	Max. 1000 W 1.5 Litres	Max. Boiler Temperature	147°C
Heating Up Time	Approx. 3 minutes	Adjustable Output Regulator	Yes
Autonomy	1 Hour (nominal)	Indicator for Lack of Water	Yes

## Robby SP4 DF Accessories

	Central Connector Hose Straight Connector <b>A00935</b> Round Connector <b>A01132</b>		Multi Function Floor Tool <b>A00131</b>		Detail Nozzle <b>A00134</b>
	Liquid Suction Accessory <b>A00027</b>		Extension Tubes <b>A00130</b>		Detail Nylon Brush <b>A00020</b>
	Suction Nozzle <b>A00015</b>		Wire Detail Brush <b>A00021</b>		Medium Brush <b>A00132</b>
	Wide Suction Nozzle <b>A00013</b>		Carpet Accessory <b>A00017</b>		Bristles for A00132 <b>A00024</b>
	Safety Gloves <b>A00097</b>		Red Funnel <b>A00007</b>		Slider for A00132 <b>A00025</b>
	Safety Goggles <b>A00096</b>		Accessory Bag <b>A00903</b>		Triangular Brush <b>A00006</b>
	2 Inch Round Brush <b>A00005</b>		Trolley <b>A00002</b>		"Cleaning in Progress" Sign <b>A00972</b>

Standard Tools/**Optional Tools**

# Robby Steam & Vac



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

## Maintaining good housekeeping hygiene

### The **ROBBY** range

- Compact and versatile
- Steam and vacuum simultaneously for fast and effective cleaning
- Ideal for daily use in washrooms and sanitary areas
- Excellent on safety, non slip flooring
- Greatly eliminates need for harsh chemical use
- Removes spots & stains from bedding, carpets & upholstery
- Kills dust mites & removes allergens
- Easily cleans those nooks & crannies difficult to reach by hand
- Optional trolley for easy of use and storage



DEFRA Approved Water  
Technology List  
Reference: 3206




























Machine Ordering Code: M0172



## Robby Steam & Vac Machine Specification

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	2,200 Watt	Machine Dimensions (W x D x H) cm	48cmx30cmx32cm
Steam Pressure	4.5 Bar nominal	Net Weight	10.5 Kg
Boiler Capacity	0.7 Litres	Shipping Weight	19 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1000 W 1.6 Litres	Max. Boiler Temperature	147°C
Heating Up Time	Approx. 4 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## Robby Steam & Vac Accessories

	Steam & Vacuum Hose Straight Connector <b>A00137</b> Round Connector <b>A01058</b>		Blower Hose <b>A00129</b>		Extension Tube <b>A00130</b>
	Nylon Detail Brush <b>A00020</b>		Triangular Brush <b>A00006</b>		Rectangular Brush <b>A00131</b>
	Medium Brush <b>A00132</b>		Bristles for A00132 <b>A00024</b>		Slider for A00132 <b>A00025</b>
	Wide Suction Nozzle <b>A00013</b>		Swivel Dust Brush <b>A00018</b>		Carpet Accessory <b>A00017</b>
	Squeegee Insert <b>A00027</b> (Fits A00131)		Suction Nozzle <b>A00015</b>		Large Squeegee <b>A00133</b>
	Small Squeegee <b>A00136</b>		Single Hole Detail Nozzle <b>A00134</b>		3 Hole Detail Nozzle <b>A00135</b>
	Brush Insert <b>A00026</b> (Fits A00131)		Red Funnel <b>A00007</b>		Safety Gloves <b>A00097</b>
	Accessory Bag <b>A00903</b>		Safety Goggles <b>A00096</b>		Trolley <b>A00002</b>
	"Cleaning in Progress" Sign <b>A00972</b>				

# Robby HC Pro



## Professional results in the healthcare environment

### The **ROBBY** range

- HEPA filter in addition to patented water filtration system
- Compact yet extremely versatile
- Steam and vacuum simultaneously for fast and effective cleaning
- Ideal for daily use in washrooms and sanitary areas
- Excellent on safety, non slip flooring
- Greatly eliminates need for harsh chemical use
- Removes spots & stains from bedding, carpets & upholstery
- Kills dust mites & removes allergens
- Easily cleans those nooks & crannies difficult to reach by hand
- Optional trolley for easy of use and storage



























Machine Ordering Code: M4014

## Robby HC Pro Machine Specification

Power Supply	230v 50/60 Hz	Cable Length	4.2 metres
Maximum Power	2,900 Watt (boiler 2,200 Watt)	Machine Dimensions (W x D x H) cm	54cmx30cmx28cm
Steam Pressure	5.5 Bar (nominal)	Net Weight	10.8Kg
Boiler Capacity	0.7 Litres	Shipping Weight	19Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1200 W 1.5 Litres	Max. Boiler Temperature	155°C
Heating Up Time	Approx. 3 minutes	Adjustable Output Regulator	Two settings
Autonomy	Continuous operation	Indicator for Lack of Water	Yes

## Robby HC Pro Accessories

	Steam & Vac Hose <b>A01184</b>		Extension Tube <b>A01185</b>		Floor Tool <b>A01186</b>
	Hard floor Insert <b>A01189</b>		Carpet Insert <b>A01187</b>		Squeegee Insert <b>A01188</b>
	Large Squeegee 25cm <b>A01190</b>		Single hole detail nozzle <b>A01192</b>		3 hole detail Nozzle <b>A01191</b>
	Nylon Triangular Brush <b>A01193</b>		Wide Suction Nozzle <b>A00013</b>		Small suction Nozzle <b>A00015</b>
	Upholstery Tool <b>A01195</b>		Squeegee Upholstery insert <b>A01196</b>		Upholstery Brush insert <b>A01197</b>
	Small Nylon Brush <b>A01194</b>		Funnel <b>A00007</b>		Safety Gloves <b>A00097</b>
	Safety Goggles <b>A00096</b>		Accessory Bag <b>A00903</b>		Trolley <b>A00002</b>
	Healthcare Hose <b>A01198</b>		Turbo Carpet Tool <b>A02152</b>		"Cleaning in Progress" Sign <b>A00972</b>

# Steam & Vac Pro



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

## Uniquely Validated Bactericidal Efficacy

The **STEAMCARE** range

- The ultimate healthcare steam & vacuum cleaner
- A steam cleaner, a dry vacuum cleaner and a wet vacuum cleaner in one!
- The water filtration system means no vacuum dust bag
- Eliminates dust mites, smells and removes allergens
- Truly versatile unit for many different environments
- Easy to maneuver thanks to the new trolley supplied as standard



DEFRA Approved Water  
Technology List  
Reference: 3207































Machine Ordering Code: M4011

## Steam & Vac Pro Machine Specification

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	3,000 Watt	Machine Dimensions (W x D x H) cm	52cmx37cmx43cm
Steam Pressure	6.5 Bar nominal	Net Weight	20 Kg
Boiler Capacity	2.6 Litres	Shipping Weight	30 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1000 W 2.3 Litres	Max. Boiler Temperature	154°C
Heating Up Time	Approx. 5 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## Steam & Vac Pro Accessories

	Central Connector Hose <b>A00260</b>		Extension Tube (Double Lock) <b>A00982</b> (Supplied individually)		30mm Nylon Brush <b>A00806</b>
	60mm Nylon Brush <b>A00264</b>		Large Detail Nozzle <b>A00070</b>		Detail Nozzle <b>A00943</b>
	Suction Tool <b>A00078</b>		Squeegee Insert <b>A00080</b>		Brush Insert <b>A00079</b>
	300mm Multi Function Floor Tool <b>A00938</b>		300mm Brush Insert <b>A00267</b>		300mm Hard Floor Cartridge Insert <b>A00266</b>
	300mm Carpet Cartridge Insert <b>A00939</b>		Long Gulper Nozzle <b>A00075</b>		Small Gulper Nozzle <b>A00945</b>
	Upholstery Spatula <b>A00826</b>		Trolley <b>A00238</b>		Safety Gloves <b>A00097</b>
	Safety Goggles <b>A00096</b>		Accessory Bag <b>A00903</b>		"Cleaning in Progress" Sign <b>A00972</b>
	Floor Mop <b>A03159</b>		Wall Mop <b>A03160</b>		Adaptor Tool (fits A03159/A03160) <b>A03163</b>
	Microfibre (fits A03159) <b>A03161</b>		Microfibre (fits A03160) <b>A03162</b>		Upholstery Vac Tool <b>A00173</b>
	Turbo Carpet Tool <b>A02152</b>				

# Provap Evo Vac



## The ultimate healthcare unit for effective decontamination

### The **STEAMCARE** range

- Independently validated decontamination results
- Helps achieve consistent sanitation to the highest standards
- Dry steam vapour generated at 180°C and delivered at 9 bar pressure
- Integrated water filtration vacuum unit leaving surfaces clean and touch dry
- Compact, easy to manoeuvre and store
- Optional healthcare specific accessories specially developed for high risk contact areas
- Area specific Standard Operating Procedures available on request for user training
- Tackle infection control issues with confidence



DEFRA Approved Water  
Technology List  
Reference: 5307



Machine Ordering Code:
























UK plug M6047

EU plug M6058

## Provap Evo Vac Machine Specification

Power Supply	230v 50/60 Hz	Cable Length	4 metres
Maximum Power	3,000 Watt	Machine Dimensions (W x D x H) cm	49 x 43 x 105
Steam Pressure	9 Bar nominal	Net Weight	36 Kg
Boiler Capacity	2.7 Litres	Shipping Weight	40 Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Vacuum / Vac Tank Capacity	Max. 1000 W 5 Litres	Max. Boiler Temperature	180°C
Heating Up Time	Approx. 5 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## Provap Evo Vac Accessories

	Central Connector Hose <b>A00983</b>		Extension Tube (Double Lock) <b>A00982</b> (Supplied individually)		30mm Nylon Brush <b>A00806</b>
	60mm Nylon Brush <b>A00264</b>		Large Detail Nozzle <b>A00070</b>		Detail Nozzle <b>A00943</b>
	Suction Tool (150mm) <b>A00078</b>		Squeegee Insert (Fits A00078) <b>A00080</b>		Brush Insert (Fits A00078) <b>A00079</b>
	300mm Multi Function Floor Tool <b>A00938</b>		300mm Brush Insert <b>A00267</b>		300mm Hard floor Cartridge Insert <b>A00266</b>
	300mm Carpet Cartridge Insert <b>A00939</b>		300mm Double Insert (Rubber /Brush) <b>A00981</b>		Small Gulper Nozzle <b>A00945</b>
	Upholstery Spatula <b>A00826</b>		Long Gulper Nozzle <b>A00075</b>		Accessory Bag <b>A00903</b>
	Safety Goggles <b>A00096</b>		Safety Gloves <b>A00097</b>		
	Upholstery Vac Tool <b>A00173</b>		Turbo Carpet Tool <b>A02152</b>		"Cleaning in Progress" Sign <b>A00972</b>

# Specialist Healthcare Tools



## Specially developed to provide effective decontamination

Complementing and enhancing our **STEAMCARE** range

- Optional healthcare specific accessories specially developed for high risk contact areas
- Independently validated decontamination results
- Helps achieve consistent sanitation to the highest standards
- To be used in conjunction with microfibre to obtain the best results
- Ergonomic and easy to use
- Area specific Standard Operating Procedures available on request for user training
- Tackle infection control issues with confidence
- Ideal for healthcare and residential care



Complete Set Ordering Code:  
A00997





## Healthcare Accessories

**OSPREYDEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

OspreyDeepclean working in association with several (care) institutions designed and developed specialist steam tools for used in conjunction with our dedicated steam machine models, the new Provap Evo Vac and our best selling Steam & Vac Pro.

The technology behind the tools is based on the application of controlled superheated dry steam vapour (DSV) by purpose-designed steam vapour delivery tools, allowing its safe use in the daily and periodic cleaning practice within a healthcare environment. Used in accordance with our Standard Operating Procedures it ensures an effective and hygienic decontamination

Laboratory evaluations using OspreyDeepclean Dry Steam Vapour machines have established the safe removal of hospital infection strains in less than 2 seconds. Trials at University College London Hospitals\* confirm that surfaces contaminated by each of the test organisms were successfully decontaminated by the OspreyDeepclean process - without chemicals.

The study focused on the decontamination of high-risk, high-contact surfaces: bed frames, mattresses, and chairs, from MRSA, Acinetobacter, Klebsiella and the spores of Clostridium difficile.

These results have also been independently validated by the prestigious TNO institute in The Netherlands.

Use of the OspreyDeepclean process minimises the need to dismantle equipment or take bedside curtains down for cleaning; beds and isolation rooms are soon safely returned to use.

\*TNO / UCLH report V7683

Validation of the OspreyDeepclean Steam Cleaning Technology in a Healthcare Environment

## Healthcare Accessories

	S&V Pro & Provap Evo Vac Healthcare Hose <b>A00990</b>		Robby HC Pro Healthcare Hose <b>A01198</b>
	Curtain Cleaning Tool <b>A00996</b>		Multi tool <b>A00993</b>
	Medium Tube Cleaner <b>A00995</b>		Vap Mop <b>A00991</b>
	Small Tube Cleaner <b>A00994</b>		Complete Set of Tools S&V Pro & Provap Evo <b>A00997</b> HC Pro <b>A01200</b>

The use of personal protective equipment is always recommended when operating steam equipment



## MICROFIBRE PRODUCT LIST

**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

Picture	Product Name	Code	Description	Tool	Weight	Pack Qty.
	<b>Dispomop®</b> <i>For Floor</i>	<b>A01060</b>	Disposable for critical areas. 70% microfibre mop <i>DISPAD Floor Needed</i>		180 g/m <sup>2</sup>	50
	<b>Dispomop® 20,5</b> <i>For Multi Tool</i>	<b>A01062</b>	Disposable for critical areas 70% microfibre mop: <i>DISPAD Multi Needed</i>		180 g/m <sup>2</sup>	50
	<b>Dispomop® 33</b> <i>For Curtain Tool</i>	<b>A01064</b>	Disposable for critical areas 70% microfibre mop <i>DISPAD Curtain Needed</i>		180 g/m <sup>2</sup>	50
	<b>Steam 3D Multi</b> <i>For Multi Tool</i>	<b>A01103 B</b>	Semi disposable 100 wash resistant microfibre mop 70/30 <i>DISPAD Multi Needed</i>		320 g/m <sup>2</sup>	50
		<b>A01104 Y</b>				
		<b>A01106 G</b>				
		<b>A01105 R</b>				
	<b>Steam 3D Curtain</b> <i>For Curtain Tool</i>	<b>A01107 B</b>	Semi disposable 100 wash resistant. microfibre mop 70/30 <i>DISPAD Curtain Needed</i>		320 g/m <sup>2</sup>	50
		<b>A01108 Y</b>				
		<b>A01109 G</b>				
		<b>A01110 R</b>				
	<b>DISPAD</b> <i>for Floor</i>	<b>A01066</b>	Pad, steam resistant with reinforced side stitching		N/A	10
	<b>DISPAD Multi</b> <i>for Multi Tool</i>	<b>A01067</b>	Pad, steam resistant with reinforced side stitching		N/A	10
	<b>DISPAD Curtain</b> <i>for Curtain Tool</i>	<b>A01068</b>	Pad, steam resistant with reinforced side stitching		N/A	10
	<b>HI-PRO2 40</b> <i>For Floor</i>	<b>A00999</b>	Regular high quality floor cleaning mop. 500 wash resistant 100% PES		800 g/m <sup>2</sup>	10
	<b>HI-PRO2 40</b> <i>For Multi</i>	<b>A01000</b>	Regular high quality multi cleaning mop. 500 wash resistant 100% PES		800 g/m <sup>2</sup>	10
	<b>HEAVY DUTY MICROFIBRE CLOTH MF40</b>	<b>A01005 B</b> <b>A01006 Y</b> <b>A01007 G</b> <b>A01008 R</b>	Non stretch tight woven highly absorbent 80/20		320 g/m <sup>2</sup> (50g)	5



**RECOMMENDED HEALTHCARE PACK**

To implement an effective sanitation and decontamination cleaning program, we recommend purchasing the equipment below:

**Select one of our specific Healthcare machines**



Robby HC Pro  
M4014



Steam & Vac Pro  
M4011



Provap Evo Vac  
M6047<sub>UK</sub> / M6058<sub>EU</sub>

**Recommended Specialist Healthcare tools**



Multi Tool  
Code: **A00993**



Medium Tube  
Cleaner  
Code: **A00995**



Small Tube  
Cleaner  
Code: **A00994**



Steam Hose  
Code:  
**A00990/  
A01198**

**Recommended Microfibre Starter pack**

<i>ODC Code</i>	<i>Product Name</i>	<i>Recommended Quantity</i>
<b>A01066</b>	DISPAD Floor	1
<b>A01067</b>	DISPAD Multi Tool	3
<b>A01068</b>	DISPAD Curtain	2
<b>A01060</b>	Dispomop	1
<b>A01062</b>	Dispomop 20,5	1
<b>A01064</b>	Dispomop 33	1
<b>A01103</b>	Steam 3D Multi	10
<b>A01107</b>	Steam 3D Curtain	5
<b>A00999</b>	HI-PRO2 40	50
<b>A01005</b>	Heavy Duty MF40HDBL	2

# Provap Gumcart



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

**Any gum, any place, any time**



- Can be used in public areas with minimum disruption
- Compact & Easy to transport
- Steam heated to 180°C and delivered at 9 bar pressure
- Gum is instantly dissolved on contact when used with our specially developed chewing gum remover
- Tackle gum and even some graffiti problems with confidence
- Cost effective and environmentally friendly
- Optional bespoke trolley with a low noise petrol generator for a totally autonomous gum removal system



DEFRA Approved Water  
Technology List  
Reference: 5309

















Machine Ordering Code: M6049  
Complete System: M6015

## Gumcart Machine Specification

Power Supply	230v 50/60Hz	Cable Length	4 metres
Maximum Power	2,600 Watt Pre Oct 12 3,000 Watt Post Oct 12	Machine Dimensions (W x D x H) cm	49 x 43 x 105
Steam Pressure	9 Bar nominal	Net Weight	36Kg
Boiler Capacity	3.4 Litres	Shipping Weight	40Kg
Boiler Material	RVS AISI 304	Certification/Marking	CE, IPX4
Detergent Capacity	2 x 5 Litres	Max. Boiler Temperature	180°C
Heating Up Time	Approx. 9 minutes	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## Gumcart Steam Only Accessories

	Grey Steam Only Hose <b>A00240</b>		Extension Tube <b>A00241</b>
	Brass Detail Brush <b>A00258</b>		Nylon Detail Brush <b>A00242</b>
	Squeegee <b>A00249</b>		Triangular Brush <b>A00244</b>
	Floor Brush <b>A00245</b>		Hooked Nozzle <b>A00247</b>
	Long Nozzle <b>A00248</b>		Short Nozzle <b>A00246</b>
	Safety Gloves <b>A00097</b>		Safety Goggles <b>A00096</b>
	Accessory Bag <b>A00903</b>		AAA Chewing Gum Remover Detergent (4x5 Litres) <b>C00001</b>

Standard Tools/Optional Tools

# SteamForce Eco



## The little machine with the big steam

### The new **OSPREYFRANK** range

- Compact but tough with robust stainless steel body
- Industrial quality steam socket
- Professional with continuous boiler refill
- External detergent facility for ease of change
- Steam volume regulator
- Front locking castors
- Simple and clear operation
- Cost effective and environmentally friendly
- Ideal for small areas with no vacuum requirement
- Also available in 120v version



DEFRA Approved Water  
Technology List  
Reference: 5106



### Machine Ordering Codes

















230v: M6054

120v: M6053

## SF Eco Machine Specification

Power Supply	230v 50Hz 13Amp / 120v 60Hz 14Amp	Cable Length	4 metres
Maximum Power	3,000 Watt 1,700 Watt	Machine Dimensions (W x D x H) cm	37cmx82.5cmx100cm
Steam Pressure	6 Bar nominal	Net Weight	25Kg
Boiler Capacity / Material	2.3 Litres / RVS AISI 304	Shipping Weight	32Kg
Detergent Capacity	2 x 5 Litre	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 5 minutes	Max. Boiler Temperature	160°C
Steam production	60 gr./min	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## SF Eco Steam Only Accessories

	Steam only Hose 4m <b>A03057</b>		Extension Tubes <b>A03060</b>
	Floor Tool Complete <b>A03061</b>		Cotton Cloth <b>A03028</b>
	Cover for Floor Tool <b>A03071</b>		Large Triangular Brush <b>A03072</b>
	Squeegee Tool 24cm <b>A03063</b>		Short curved nozzle <b>A03069</b>
	60mm Round Nylon Brush <b>A03074</b>		Nylon Detail Brush <b>A03081</b>
	Copper Detail Brush <b>A03082</b>		Stainless Steel Detail Brush <b>A03083</b>
	Water Bottle <b>A03216</b>		Safety Gloves <b>A00097</b> Safety Goggles <b>A00096</b>
	Accessory Bag <b>A00903</b>		“Cleaning in Progress” Sign <b>A00972</b>



## The Ultimate professional steam unit

Introducing the new **OSPREYFRANK** range

- Compact but tough with robust stainless steel body
- Industrial quality steam socket
- Professional with continuous boiler refill
- External detergent facility for ease of change
- Steam volume regulator
- Front locking castors
- Simple and clear operation
- Vacuum kit optional upgrade
- Full accessory list with vac upgrade
- Cost effective and environmentally friendly



AUTHORISED  
USER NO. 01532

DEFRA Approved Water  
Technology List  
Reference: 5107



















Machine Ordering Code: M6055



## SF3 Machine Specification

Power Supply	230v 50Hz 13Amp	Cable Length	4 metres
Maximum Power	3,000 Watt	Machine Dimensions (W x D x H) cm	50cmx82.5cmx 100cm
Steam Pressure	8 Bar nominal	Net Weight	28Kg
Boiler Capacity / Boiler Material	3.6 Litres / RVS AISI 304	Shipping Weight	35Kg
Detergent Capacity	2 x 5 Litres	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 9 minutes	Max. Boiler Temperature	170°C
Steam production	100 gr./min	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## SF3 Steam Only Accessories

	Steam only hose 4m <b>A03057</b>		Extension tubes <b>A03060</b>
	Floor Tool Complete <b>A03061</b>		Cotton Cloth <b>A03028</b>
	Cover for Floor Tool <b>A03071</b>		Large Triangular Brush <b>A03072</b>
	Squeegee Tool 24cm <b>A03063</b>		Short curved Nozzle <b>A03069</b>
	60mm Round Nylon Brush <b>A03074</b>		Nylon Detail Brush <b>A03081</b>
	Copper Detail Brush <b>A03082</b>		Stainless Steel Detail Brush <b>A03083</b>
	Accessory bag <b>A00903</b>		Safety Goggles <b>A00096</b> Safety Gloves <b>A00097</b>
	Water Bottle <b>A03216</b>		“Cleaning in Progress” Sign <b>A00972</b>

# SteamForce 3 VAC



## The Ultimate professional steam unit

Introducing the new **OSPREYFRANK** range

- Upgrade the SF3 with the vacuum kit, for total versatility
- Obtain better cleaning results faster
- Compact but tough with robust stainless steel body
- Industrial quality steam socket
- Professional with continuous boiler refill
- External detergent facility for ease of change
- Steam volume regulator
- Front locking castors
- Simple and clear operation
- Cost effective and environmentally friendly



DEFRA Approved Water  
Technology List  
Reference: 5107



Machine Ordering Code: both required  
M6055 - SF3  
A03154 - Vacuum Kit

## SF3 Vac Steam & Vacuum Accessories

	Steam & Vac hose 3m <b>A03058</b>		Extension tubes <b>A00055</b>
	300mm Floor tool <b>A00063</b>		Carpet insert for floor tool <b>A00065</b>
	Hard Floor Insert for floor tool <b>A00066</b>		Brush insert for floor tool <b>A00068</b>
	Squeegee Tool 25cm <b>A00077</b>		Short Nozzle <b>A03034</b>
	Upholstery Tool (black) <b>A00173</b>		Hand Tool 15cm <b>A00078</b>
	Squeegee Insert for hand tool 15cm <b>A00080</b>		Brush Insert for hand tool 15cm <b>A00079</b>
	Nylon Detail Brush <b>A00072</b>		Brass Detail Brush <b>A00155</b>
	Cotton Cloth <b>A03028</b>		Suction Tool <b>A00081</b>
	Long Suction Tool <b>A00075</b>		Turbo Carpet Tool <b>A02152</b>
	"Cleaning in Progress" Sign <b>A00972</b>		



SF 3 Vac comprises: SF3 **M6055** plus Vac Kit **A03154**

**A03154** includes:

- 1000W Wet & dry vacuum
- Metal support bracket
- Hose and accessories as above

Standard Tools/**Optional Tools**

# SteamForce

6



**OSPREYDEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

**A small unit that packs a big punch!**

Introducing the new **OSPREYFRANK** range

- Compact but tough with robust stainless steel body
- Industrial quality steam socket
- Professional boiler with continuous boiler refill
- Twin external detergent facility for ease of change
- Steam volume regulator
- Front locking castors
- Simple and clear operation
- Cost effective
- Environmentally friendly
- Ideal for small/medium manufacturing/engineering facilities



DEFRA Approved Water  
Technology List  
Reference: 5108



Machine Ordering Code:


















5 Pin M6057

4 Pin M6067

## SF6 Machine Specification

Power Supply	400 Volt 50Hz 16 Amp	Cable Length	5 metres
Maximum Power	5,500 Watt	Machine Dimensions (W x D x H) cm	50 x 82.5 x 100
Steam Pressure	10 Bar	Net Weight	32Kg
Boiler Capacity / Boiler Material	3.6 Litres / RVS AISI 304	Shipping Weight	39Kg
Detergent Capacity	2 x 5 Litre	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 6 minutes	Max. Boiler Temperature	185°C
Steam production	150 gr./min	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## SF6 Steam Only Accessories

	Flexible 4m Hose <b>A03053</b>		Industrial Lance 400mm Hooked Nozzle <b>A03125</b> (A03150 Required)
	Industrial Lance 900mm hooked nozzle <b>A03131</b> (A03150 Required)		Industrial Squeegee 350mm <b>A03133</b>
	Nylon Detail Brush <b>A03081</b>		Copper Detail Brush <b>A03082</b>
	Stainless Steel Detail Brush <b>A03083</b>		60mm Round Nylon Brush <b>A03074</b>
	60mm Round Copper Brush <b>A03075</b>		60mm Round Stainless Steel Brush <b>A03076</b>
	55mm Scotch brite round pad <b>A03145</b>		1.5mm Nozzle Tip for Industrial Lances <b>A03150</b>
	Accessory Bag <b>A00903</b>		Safety Goggles <b>A00096</b>
			Safety Gloves A00097
	Water Bottle <b>A03216</b>		"Cleaning in Progress" Sign <b>A00972</b>

# SteamForce 6 VAC



## The Ultimate professional steam unit

Introducing the new **OSPREYFRANK** range

- Upgrade the SF6 with the vacuum kit, for total versatility
- Compact but tough with robust stainless steel body
- Industrial quality steam socket
- Professional boiler with continuous boiler refill
- Twin external detergent facility for ease of change
- Steam volume regulator
- Front locking castors
- Simple and clear operation
- Cost effective
- Environmentally friendly
- Ideal for small/medium manufacturing/engineering facilities



DEFRA Approved Water  
Technology List  
Reference: 5108



Machine Ordering Code:  
5 Pin M6057  
4 Pin M6067  
A03155 - Vacuum Kit

## SF6 Vac Steam & Vacuum Accessories

	Steam & Vac hose 3m <b>A03054</b>		Extension tubes <b>A00055</b>
	300mm Floor tool <b>A00063</b>		Carpet insert for floor tool <b>A00065</b>
	Squeegee insert for floor tool <b>A00066</b>		Brush insert for floor tool <b>A00068</b>
	Squeegee Tool 25cm <b>A00077</b>		Short Nozzle <b>A03034</b>
	Upholstery Tool (black) <b>A00173</b>		Hand Tool 15cm <b>A00078</b>
	Squeegee Insert for hand tool 15cm <b>A00080</b>		Brush Insert for hand tool 15cm <b>A00079</b>
	Nylon Detail Brush <b>A00072</b>		Brass Detail Brush <b>A00155</b>
	Cotton Cloth <b>A03028</b>		Suction Tool <b>A00081</b>
	Long Suction Tool <b>A00075</b>		Turbo Carpet Tool <b>A02152</b>
	"Cleaning in Progress" Sign <b>A00972</b>		



SF 6 Vac comprises: SF6 **M6057/M6067** plus Vac Kit **A03155**

**A03155** includes:

- 1100W Wet & dry vacuum
- Metal support bracket
- Hose and accessories as above

Standard Tools/**Optional Tools**

# SteamForce

## 10



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

## Making light work of demanding industrial applications

Introducing the new **OSPREYFRANK** range

- Very high dry steam volume
- Tough and robust with stainless steel body
- Industrial quality steam socket and accessories
- Reliable and user friendly
- Detergent facility for added versatility
- Strong castor wheels for ease of manoeuvring
- Cost effective and environmentally friendly
- Ideal for the most demanding industrial operations
- Mains water connection for enhanced autonomy
- Emergency Stop button for increased safety



AUTHORISED  
USER NO. 61532

DEFRA Approved Water  
Technology List  
Reference: 5705



Machine Ordering Code:

4 Pin M6066

















5 Pin M6056



## SF10 Machine Specification

Power Supply	400 Volt 50Hz 16 Amp (4 or 5 Pin)	Cable Length	4 metres
Maximum Power	10,000 Watt	Machine Dimensions (W x D x H) cm	57cm x 89cm x 104cm
Steam Pressure	10 Bar	Net Weight	56Kg
Boiler Capacity/ Boiler Material	6 Litres / RVS AISI 304	Shipping Weight	108Kg
Detergent Capacity	2 x 5 Litres	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 7 minutes	Max. Boiler Temperature	185°C
Steam production	200g/min	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## SF10 Steam Only Accessories

	Flexible 4m Hose <b>A03053</b>		Industrial Lance 400mm Hooked Nozzle <b>A03125</b> (A03149 required)
	Industrial Lance 45° 900mm hooked nozzle <b>A03131</b> (A03149 required)		Industrial Squeegee 350mm <b>A03133</b>
	Nylon Detail Brush <b>A03081</b>		Copper Detail Brush <b>A03082</b>
	Stainless Steel Detail Brush <b>A03083</b>		60mm Round Nylon Brush <b>A03074</b>
	60mm Round Copper Brush <b>A03075</b>		60mm Round Stainless Steel Brush <b>A03076</b>
	55mm Scotch brite round pad <b>A03145</b>		1.5mm Nozzle Tip for Industrial Lances <b>A03149</b>
	Accessory Bag <b>A00903</b>		Safety Goggles <b>A00096</b>
	Safety Gloves <b>A00097</b>		"Cleaning in Progress" Sign <b>A00972</b>

# SteamForce 10 VAC



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

**Making light work of demanding industrial applications**

Introducing the new **OSPREYFRANK** range

- Very high dry steam volume
- Tough and robust with stainless steel body
- Industrial quality steam socket and accessories
- Reliable and user friendly
- Detergent facility for added versatility
- Strong castor wheels for ease of manoeuvring
- Cost effective and environmentally friendly
- Ideal for the most demanding industrial operations
- Mains water connection for enhanced autonomy
- Emergency Stop button for increased safety



AUTHORISED  
USER NO. 01532

DEFRA Approved Water  
Technology List  
Reference: 5705



Machine Ordering Code:

4 Pin M6066

5 Pin M6056

Vac Kit A03155

## SF10 Vac Steam & Vacuum Accessories

	Steam & Vac hose 3m <b>A03054</b>		Extension tubes <b>A00055</b>
	300mm Floor tool <b>A00063</b>		Carpet insert for floor tool <b>A00065</b>
	Squeegee insert for floor tool <b>A00066</b>		Brush insert for floor tool <b>A00068</b>
	Squeegee Tool 25cm <b>A00077</b>		Short Nozzle <b>A03034</b>
	Upholstery Tool (black) <b>A00173</b>		Hand Tool 15cm <b>A00078</b>
	Squeegee Insert for hand tool 15cm <b>A00080</b>		Brush Insert for hand tool 15cm <b>A00079</b>
	Nylon Detail Brush <b>A00072</b>		Brass Detail Brush <b>A00155</b>
	Cotton Cloth <b>A03028</b>		Suction Tool <b>A00081</b>
	Long Suction Tool <b>A00075</b>		Turbo Carpet Tool <b>A02152</b>
	“Cleaning in Progress” Sign <b>A00972</b>		



SF 10 Vac comprises: SF10 **M6066/M6056** plus Vac Kit **A03155**

**A03155** includes:

- 1100W Wet & dry vacuum
- Metal support bracket
- Hose and accessories as above

Standard Tools/**Optional Tools**

# SteamForce

## 20



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

When the cleaning gets tough, the SF20 gets you steaming

Introducing the new **OSPREYFRANK** range

- Very high dry steam volume
- Tough and robust with stainless steel body
- Industrial quality steam socket and accessories
- Reliable and user friendly
- Detergent facility for added versatility
- Strong castor wheels for ease of manoeuvring
- Cost effective and environmentally friendly
- Ideal for the most demanding industrial operations



DEFRA Approved Water  
Technology List  
Reference: 5109



















Machine Ordering Code: M6052

## SF20 Machine Specification

Power Supply	400 Volt 50Hz 28.5 Amp	Cable Length	5 metres
Maximum Power	19,500 Watt	Machine Dimensions (W x D x H) cm	55cm x 100cm x 93cm
Steam Pressure	10.5 Bar	Net Weight	110Kg
Boiler Capacity/ Boiler Material	16 Litres / RVS AISI 304	Shipping Weight	160Kg
Detergent Capacity	5 Litres	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 7 minutes	Max. Boiler Temperature	185°C
Steam production	460g/min	Adjustable Output Regulator	Yes
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## SF20 Steam Only Accessories

	Flexible 6m Hose <b>A03055</b>		Industrial lance 400mm hooked nozzle <b>A03125</b> (A03148 Required)
	Industrial lance 1100mm hooked nozzle <b>A03129</b> (A03148 Required)		Industrial squeegee 350mm <b>A03133</b>
	Nylon Detail Brush <b>A03081</b>		Copper Detail Brush <b>A03082</b>
	Stainless Steel Detail Brush <b>A03083</b>		60mm Round Nylon Brush <b>A03074</b>
	60mm Round Copper Brush <b>A03075</b>		60mm Round Stainless Steel Brush <b>A03076</b>
	55mm Scotch brite round pad <b>A03145</b>		2.9mm Nozzle Tip for Industrial Lances <b>A03148</b>
	Accessory Bag <b>A00903</b>		Safety Goggles <b>A00096</b>
	Safety Gloves <b>A00097</b>		“Cleaning in Progress” Sign <b>A00972</b>

Standard Tools/Optional Tools

# iS18 & iS36



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

## Dry steam technology for heavy duty cleaning

### The **iSTEAM** range

- Superb dry steam volume
- Innovative electric coil system technology.
- Made in Germany
- Tough, robust and reliable
- Industrial quality pistol grip and hose
- Dry or Wet steam selector for different types of application
- Stainless steel casing
- Detergent facility for added versatility
- Cost effective and environmentally friendly
- Ideal for demanding industrial cleaning tasks
- Mobile heavy duty cleaning for ease of cleaning and degreasing industrial equipment and installations



















iS18: M2400167  
iS36: M2400198

## iS18 / iS36 Machine Specification

Power Supply	400 Volt 50Hz 25 Amp / 51 Amp	Cable Length	5 metres
Maximum Power	18kW / 36kW	Machine Dimensions (W x D x H) cm	120 x 80 x 110
Steam Pressure	10 Bar	Net Weight	140Kg
Detergent Facility	Yes	Shipping Weight	165Kg
Detergent Capacity Diesel Tank Capacity	5 Litres 23 Litres	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 5 minutes	Max. Temperature	Wet:150°C/Dry:160°C
Steam production Dry/Wet	23 kg/hr - 48 kg/hr 46Kg/hr - 96Kg/hr	Adjustable Output Regulator	No
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## iS18 / iS36 Accessories

	Dry Steam Hose 6m <b>A01017</b>  30m <b>A01015</b>		Industrial lance 500mm hooked nozzle <b>A03172</b>
	Round Jet nozzle <b>A03170</b>		Flat Jet nozzle <b>A03171</b>
	60mm Round Nylon Brush <b>A00005</b>		60mm Round Brass Brush <b>A00052</b>
	Triangular Nylon Brush <b>A00006</b>		Water Softener Cartridge <b>A03178</b>
	Ear Protection <b>A01148</b>		Safety Goggles <b>A00096</b>  Safety Gloves <b>A00097</b>
	Accessory bag <b>A00903</b>		50cm Industrial Lance with Fan Nozzle <b>A03173</b>
	100cm Industrial Lance Hooked Nozzle <b>A03174</b>		100cm Industrial Lance with Fan Nozzle <b>A03175</b>
	150cm Industrial Lance Hooked Nozzle <b>A03176</b>		150cm Industrial Lance with Fan Nozzle <b>A03177</b>

Standard Tools/Optional Tools

# iS80 Oil



**OSPREY DEEPCLEAN**  
STEAM CLEANING TECHNOLOGY

**For the toughest of industrial cleaning operations**

The **iSTEAM** range

- Phenomenal steam volume
- Oil driven, German made coil system technology
- Tough, robust and reliable
- Industrial quality pistol grip and hose
- Dry or Wet steam selector for different types of application
- Strong casing and frame
- Optional detergent facility for added versatility
- Cost effective and environmentally friendly
- Ideal for the most demanding industrial operations



















Machine Ordering Code: M2400157




## iS80 Oil Machine Specification

Power Supply	230 Volt 50Hz 1.5 Amp	Cable Length	5 metres
Maximum Power	80kW Oil/Diesel driven	Machine Dimensions (W x D x H) cm	125 x 59 x 84
Steam Pressure	10 Bar	Net Weight	180Kg
Detergent Facility	Optional	Shipping Weight	195Kg
Detergent Capacity	20 Litres	Certification/Marking	CE, IPX4
Heating Up Time	Approx. 5 minutes	Max. Temperature	180°C
Steam production Dry/Wet	78 kg/hr - 168 kg/hr	Adjustable Output Regulator	No
Autonomy	Continuous Operation	Indicator for Lack of Water	Yes

## iS80 Oil Accessories

	Dry Steam Hose 10m <b>A01016</b>  30m <b>A01015</b>		Industrial lance 500mm hooked nozzle <b>A01124</b>
	Round Jet nozzle <b>A01122</b>		Flat Jet nozzle <b>A01123</b>
	60mm Round Nylon Brush <b>A00005</b>		60mm Round Brass Brush <b>A00052</b>
	Triangular Nylon Brush <b>A00006</b>		6x1L Lime Protection Agent <b>C00022</b> (x1litre supplied with machine as standard)
	Ear Protection <b>A01148</b>		Safety Goggles <b>A00096</b>  Safety Gloves <b>A00097</b>
	Accessory bag <b>A00903</b>		50cm Industrial Lance with Fan Nozzle <b>A01125</b>
	100cm Industrial Lance Hooked Nozzle <b>A01126</b>		100cm Industrial Lance with Fan Nozzle <b>A01127</b>
	150cm Industrial Lance Hooked Nozzle <b>A01128</b>		150cm Industrial Lance with Fan Nozzle <b>A01129</b>



## The natural choice for intelligent cleaning

If you are interested in achieving the highest standard of cleanliness, whilst at the same time lowering your cleaning costs then contact us! Utilising our practical and specialist knowledge, we will take a full account of your specific needs and recommend and demonstrate the most suitable application to provide you with the optimum steam cleaning solution.

### Contract Cleaning



### Health & Residential Care



### Leisure & Hospitality



### GumBusters



### Catering & Food Retailing



### Industry



### Offices

#### United Kingdom

41 Central Way  
Cheltenham Trade Park  
Cheltenham GL51 8LX  
T: +44 (0) 1242 513 123  
F: +44 (0) 1242 518 666  
E: [info@ospreydc.com](mailto:info@ospreydc.com)  
W: [www.ospreydc.com](http://www.ospreydc.com)

#### Germany

Frank GmbH  
Zur Dornheck 15-17  
D-35764 Sinn-Fleisbach  
Germany  
[www.frank-hdr.de](http://www.frank-hdr.de)  
[www.ospreyfrank.de](http://www.ospreyfrank.de)

#### France

BP 2001  
Rue Charles de Gaulle  
Zi La Marinière  
91071 Bondoufle Cedex  
T: +33 (0)169116541  
F: +33 (0)169116558  
E: [info@ospreyfrance.fr](mailto:info@ospreyfrance.fr)  
W: [www.ospreyfrance.fr](http://www.ospreyfrance.fr)